

# Case Study: Artificial Intelligence (AI) Implementation in Radiology at Parkland Health, Dallas, TX

## Client Overview

- **Institution:** Parkland Health
- **Location:** Dallas, Texas
- **Industry:** Healthcare
- **Scope:** Public health system providing comprehensive medical services, including hospital and outpatient care

## Challenges Faced

1. **Radiologist Workload:** High volume of imaging studies leading to increased workload and potential delays in diagnosis.
2. **Operational Efficiency:** Need to improve workflow efficiency to enhance patient care and reduce costs.

## AI Solutions Implemented

Parkland Health integrated AI technologies to enhance radiology services:

1. **AI in Radiology Workflow:**
  - **Tool:** AI-powered imaging analysis platform
  - **Function:** Assists in prioritizing cases, detecting anomalies, and automating report generation.
  - **Outcome:** Improved diagnostic accuracy and reduced turnaround times.

## Costs Involved

- **Initial Investment:** Implementing AI systems in radiology can vary widely in cost. While specific figures for Parkland Health are not publicly disclosed, industry estimates suggest that such implementations can range from \$500,000 to \$2 million, depending on the complexity and scope of the AI applications.

## Return on Investment (ROI)

While specific financial metrics for Parkland Health are not publicly disclosed, industry data suggests that AI implementation in radiology can lead to significant returns:

- **Operational Efficiency:** A study published in the *Journal of the American College of Radiology* developed an ROI calculator to examine the clinical value, costs, and impact on facility revenue for integrating an AI system into the radiology workflows of a stroke

management-accredited hospital. The introduction of an AI platform resulted in labor time reductions and delivered an ROI of 451% over a five-year period. ([jacr.org](http://jacr.org))

- **Time Savings:** The same study reported that time savings for radiologists included more than 15 eight-hour working days of waiting time, 78 days in triage time, 10 days in reading time, and 41 days in reporting time over the five-year period. ([jacr.org](http://jacr.org))

## **Conclusion**

Parkland Health's integration of AI technologies in radiology demonstrates the potential of artificial intelligence to enhance operational efficiency and patient care. While specific financial data for Parkland Health is not publicly available, industry studies indicate that such implementations can yield substantial returns on investment through improved workflow efficiencies and significant time savings for radiologists. ([jacr.org](http://jacr.org))